Capricare Infant Milk Made from Goats' Milk



Indications:

Capricare Infant Milk is a nutritionally complete breast milk substitute, suitable from birth. It can be used for infants who are not being breastfed or for infants who are combination fed.

Capricare Infant Milk is based off a clinically evaluated formula which was shown to be safe, well-tolerated and support age appropriate growth.

Contra-indications:

- · Not suitable for cows' milk protein allergy
- · Not suitable for lactose intolerance
- · Not suitable for infants with a fish allergy
- · Not suitable for vegetarians

Storage

Keep the unopened can in a cool, dry place. Once open, close tightly and keep it in a cool dry place. Use contents within 4 weeks of opening.

Preparation



Sterilize

Always wash your hands before preparing the baby bottle. Sterilise all equipment by boiling or using an approved sterilising system. Boil fresh water and allow to cool until it is lukewarm (about 40°C). Add the exact measure of cooled, boiled water (refer to feeding guide) to a sterilised bottle.



Measure

Using the Capricare® scoop, lightly fill with powder and level off. Do not press or heap the powder. Add the required number of scoops to cooled boiled water.



Prepare

Close the bottle. Immediately shake well until the powder is completely dissolved.



Test

Check the temperature of the feed by sprinkling a few drops onto your wrist.

Prepare the bottle just before feeding.

.....

Feeding Guide for under 6 months

Age (months)	Boiled water (mL)	Number of scoops of powder	Number of daily feeds
0 - 1	90	3	6
1 - 2	120	4	5 - 6
2 - 3	150	5	5
3 - 4	180	6	4 - 5
4 - 6	210	7	4
6 - 12	210	7	2 - 3

Important notice: Breastfeeding is best for babies. Infant formula is suitable from birth when babies are not breastfed. It is recommended that all formula milks be used on the advice of a healthcare professional.

For healthcare professional use only

Nutrition Information

	Unit	Per 100 g powder	Per 100 ml prepared fee
F	1.1	0400	200
Energy	kJ	2100	28
5	kcal	510	6
Fat, of which	g	26.7	3.
saturates	g	9.5	1.
monounsaturates	g	12.7	1.
polyunsaturates	g	4.1	0.5
- linoleic acid (omega 6)	mg	3100	40
- α-linolenic acid (omega 3)	mg	410	5
- docosahexaenoic acid (DHA)	mg	120	
- arachidonic acid (AA)	mg	125	
Carbohydrate, of which	g	57.4	7
sugars (lactose)	g	57.4	7
Protein	g	10.1	1
Vitamins			
Vitamin A	μg-RE	430	
Vitamin D₃	μg	11	1
Vitamin E	mg α-TE	12	1
/itamin K₁	μg	52	(
/itamin C	mg	100	
/itamin B₁	mg	0.48	0.0
∕itamin B₂	mg	0.95	0.
Niacin	mg	5.1	0.
/itamin B ₆	mg	0.28	0.0
Folic acid	μg DFE	170	
/itamin B ₁₂	μg	1.4	0.
Biotin	μg	18	
Pantothenic acid	mg	2.7	0.
Minerals			
Sodium	mg	150	
Potassium	mg	540	
Chloride	mg	440	
Calcium	mg	410	
Phosphorus	mg	300	
Magnesium	mg	36	4
ron	mg	5.0	0.
Zinc	mg	3.8	0.
Copper	mg	0.38	0.0
Manganese	mg	0.070	0.00
Fluoride		0.050	0.00
Selenium	mg	19	0.00
odine	hâ hâ	100	
Choline	mg	160	
Taurine	mg	36	2
Carnitine	mg	7.0	0.
nositol	mg	30	3

 $^{^*}$ Calculated based on the following reconstitution ratio: Powder (g) 4.3; Water (mL) 30; Powder in 100 mL (g) 12.9

Ingredients

Pasteurised goat whole milk, lactose (from milk), vegetable oil blend (high oleic sunflower oil, canola oil, sunflower oil, antioxidants (sunflower lecithin, mixed tocopherols)), pasteurised goat milk powders, fish oil powder (source of docosahexaenoic acid), microbial oil powder (source of arachidonic acid), minerals (sodium citrate, calcium citrate, calcium hydroxide, potassium chloride, ferrous sulphate, zinc sulphate, copper sulphate, manganese sulphate, potassium iodide, sodium selenite), choline chloride, L-tryosine, L-tryptophan, L-cystine, vitamins (dl-α-tocopheryl acetate, nicotinamide, cholecalciferol, retinyl acetate, calcium d-pantothenate, cyanocobalamin, phytonadione, thiamine hydrochloride, riboflavin, pyridoxine hydrochloride, folic acid, L-ascorbic acid, d-biotin), L-isoleucine, taurine, L-carnitine.

This product contains 38% goat milk on a dry matter basis.